

Package: ACSWR (via r-universe)

September 4, 2024

Type Package

Title A Companion Package for the Book ``A Course in Statistics with R''

Version 1.0

Date 2015-09-05

Author Prabhanjan Tattar

Maintainer Prabhanjan Tattar <prabhanjannt@gmail.com>

Description A book designed to meet the requirements of masters students. Tattar, P.N., Suresh, R., and Manjunath, B.G. ``A Course in Statistics with R'', J. Wiley, ISBN 978-1-119-15272-9.

Imports MASS

License GPL-2

NeedsCompilation no

Date/Publication 2015-09-05 17:50:53

Repository <https://prabhanjan-tattar.r-universe.dev>

RemoteUrl <https://github.com/cran/ACSWR>

RemoteRef HEAD

RemoteSha 5fed66d5f3ead119f2de631d5079b7502f9c7067

Contents

ACSWR-package	3
abrasion_index	4
adjectives	5
atombomb	6
battery	6
Binom_Sim	7
bottling	8
bs	9
bs1	10
caesareans	11
calcium	12

cardata	13
chdage	14
chemicaldata	15
chest	16
cloud	17
cork	17
cs	18
depression	20
Disease	20
Ehrenfest	21
flight	22
Geom_Sim	23
girder	23
hardness	24
hearing	25
hw	26
insurance	26
intensity	27
kurtcoeff	28
life	28
lowbwt	29
LRNormal2Mean	30
LRNormalMean_KV	31
LRNormalMean_UV	32
LRNormalVariance_UM	32
lval	33
memory	33
mfp	34
MPbinomial	35
MPNormal	36
MPPoisson	36
msteppm	37
Mucociliary	37
nerve	38
ns	39
olson	40
pareto_density	41
pareto_quantile	42
Poisson_Sim	42
powertestplot	43
ps	44
pw	46
QH_CI	47
reaction	47
resistant_line	48
rocket	49
rocket_Graeco	49
rootstock	50

sample	51
sheishu	52
shelf_stock	53
siegel.tukey	53
skewcoeff	54
somesamples	55
SP	56
stationdistTPM	56
stiff	57
ST_Ordered	58
ST_Unordered	59
swiss	59
tc	60
tensile	61
testtpm	62
testtpm2	62
testtpm3	63
TM	63
TMH	64
UMPExponential	64
UMPNormal	65
UMPUniform	65
usc	66
viscos	67
vonNeumann	68
waterquality	68
WilsonCI	69
ww.test	70
x_bimodal	70
yb	71
Index	73

ACSWR-package

*An R Companion Package for the Book "A Course in Statistics with R"***Description**

"A Course in Statistics with R" has been designed to meet the requirements of masters students.

Details

Package: ACSWR
 Type: Package
 Version: 1.0
 Date: 2015-08-19
 License: GPL-2

Author(s)

Prabhanjan Tattar

Maintainer: Prabhanjan Tattar <prabhanjannt@gmail.com>

References

Tattar, P. N., Suresh, R., and Manjunath, B. G. (2016). A Course in Statistics with R. J. Wiley.

Examples

```
hist(rnorm(100))
```

abrasion_index	<i>Abrasion Index for the Tire Tread</i>
----------------	--

Description

To understand the relationship between the abrasion index for the tire tread, the output y , as a linear function of the hydrated silica level x_1 , silane coupling agent level x_2 and the sulfur level x_3 , Derringer and Suich (1980) collected data on 14 observation points.

Usage

```
data("abrasion_index")
```

Format

A data frame with 14 observations on the following 4 variables.

x_1 hydrated silica level

x_2 silane coupling agent level

x_3 sulfur level

y abrasion index for the tire tread

References

Derringer, G., and Suich, R. (1980). Simultaneous Optimization of Several Response Variables. Journal of Quality Technology, 12, 214-219.

Examples

```
data(abrasion_index)
ailm <- lm(y~x1+x2+x3,data=abrasion_index)
pairs(abrasion_index)
```

Description

The data set is obtained from Rencher (2002). Here, a 12-year old girl rates 7 of her acquaintances on a differential grade of 1-9 for five adjectives kind, intelligent, happy, likable, and just.

Usage

```
data(adjectives)
```

Format

A data frame with 7 observations on the following 6 variables.

People a factor with levels FATHER FSM1a FSM2 FSM3 MSMB SISTER TEACHER

Kind a numeric vector

Intelligent a numeric vector

Happy a numeric vector

Likeable a numeric vector

Just a numeric vector

References

Rencher, A.C. (2002). *Methods of Multivariate Analysis*, 2e. J. Wiley.

Examples

```
data(adjectives)
adjectivescor <- cor(adjectives[,-1])
round(adjectivescor,3)
adj_eig <- eigen(adjectivescor)
cumsum(adj_eig$values)/sum(adj_eig$values)
adj_eig$vectors[,1:2]
loadings1 <- adj_eig$vectors[,1]*sqrt(adj_eig$values[1])
loadings2 <- adj_eig$vectors[,2]*sqrt(adj_eig$values[2])
cbind(loadings1,loadings2)
communalities <- (adj_eig$vectors[,1]*sqrt(adj_eig$values[1]))^2+
(adj_eig$vectors[,2]*sqrt(adj_eig$values[2]))^2
round(communalities,3)
specific_variances <- 1-communalities
round(specific_variances,3)
var_acc_factors <- adj_eig$values
round(var_acc_factors,3)
prop_var <- adj_eig$values/sum(adj_eig$values)
round(prop_var,3)
cum_prop <- cumsum(adj_eig$values)/sum(adj_eig$values)
round(cum_prop,3)
```

 atombomb

Japanese atomic bomb survivors

Description

Gore, et al. (2006) consider the frequencies of cancer deaths of Japanese atomic bomb survivors by extent of exposure, years after exposure, etc. This data set has appeared in the journal "Statistical Sleuth".

Usage

```
data("atombomb")
```

Format

A data frame with 84 observations on the following 4 variables.

Radians Extent of exposure to the radian levels

Count.Type the type of count At Risk Death Count

Count.Age.Group age group with levels '0-7' '12-15' '16-19' '20-23' '24-27' '28-41'
'8-11'

Frequency the count of deaths

References

Gore, A.P., Paranjape, S. A., and Kulkarni, M.B. (2006). 100 Data Sets for Statistics Education. Department of Statistics, University of Pune.

Examples

```
data(atombomb)
atombombxtabs <- xtabs(Frequency~Radians+Count.Type+Count.Age.Group,data=atombomb)
atombombxtabs
```

 battery

Two Factorial Experiment for Battery Data

Description

An experiment where the life of a battery is modeled as a function of the extreme variations in temperature of three levels 15, 70, and 1250 Fahrenheit and three type of plate material. Here, the engineer has no control on the temperature variations once the device leaves the factory. Thus, the task of the engineer is to investigate two major problems: (i) The effect of material type and temperature on the life of the device, and (ii) Finding the type of material which has least variation among the varying temperature levels. For each combination of the temperature and material, 4 replications of the life of battery are tested.

Usage

```
data(battery)
```

Format

A data frame with 36 observations on the following 3 variables.

Life battery life

Material the type of plate material

Temperature three extreme variations of temperature

Source

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(battery)
names(battery) <- c("L", "M", "T")
battery$M <- as.factor(battery$M)
battery$T <- as.factor(battery$T)
battery.aov <- aov(L~M*T, data=battery)
model.matrix(battery.aov)
summary(battery.aov)
```

Binom_Sim

Simulation for Binomial Distribution

Description

A simple function to understand the algorithm to simulate psuedo-observations from binomial distribution. It is an implementation of the algorithm given in Section 11.3.1. This function is not an alternative to the rbinom function.

Usage

```
Binom_Sim(size, p, N)
```

Arguments

size	Size of the binomial distribution
p	Denotes the probability of success
N	The number of observations required from b(n,p)

Note

This function is to simply explain the algorithm described in the text. For efficient results, the user should use the rbinom function.

Author(s)

Prabhanjan N. Tattar

See Also

rbinom

Examples

Binom_Sim(10,0.5,100)

bottling

*A Three Factorial Experiment for Bottling Data***Description**

The height of the fills in the soft drink bottle is required to be as consistent as possible and it is controlled through three factors: (i) the percent carbonation of the drink, (ii) the operating pressure in the filler, and (iii) the line speed which is the number of bottles filled per minute. The first factor variable of the percent of carbonation is available at three levels of 10, 12, and 14, the operating pressure is at 25 and 30 psi units, while the line speed are at 200 and 250 bottles per minute. Two complete replicates are available for each combination of the three factor levels, that is, 24 total number of observations. In this experiment, the deviation from the required height level is measured.

Usage

data(bottling)

Format

A data frame with 24 observations on the following 4 variables.

Deviation deviation from required height level
 Carbonation the percent carbonation of the drink
 Pressure the operating pressure in the filler
 Speed the number of bottles filled per minute

Source

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(bottling)
summary(bottling.aov <- aov(Deviation~.^3,bottling))
# Equivalent way
summary(aov(Deviation~ Carbonation + Pressure + Speed+ (Carbonation*Pressure)+
(Carbonation*Speed)+(Pressure*Speed)+(Carbonation*Speed*Pressure),data=bottling))
```

Description

The data set is used to understand the sampling variation of the score function. The simulated data is available in Pawitan (2001).

Usage

```
data(bs)
```

Format

A data frame with 10 observations on the following 20 variables.

Sample.1 a numeric vector
Sample.2 a numeric vector
Sample.3 a numeric vector
Sample.4 a numeric vector
Sample.5 a numeric vector
Sample.6 a numeric vector
Sample.7 a numeric vector
Sample.8 a numeric vector
Sample.9 a numeric vector
Sample.10 a numeric vector
Sample.11 a numeric vector
Sample.12 a numeric vector
Sample.13 a numeric vector
Sample.14 a numeric vector
Sample.15 a numeric vector
Sample.16 a numeric vector
Sample.17 a numeric vector
Sample.18 a numeric vector
Sample.19 a numeric vector
Sample.20 a numeric vector

Source

Pawitan, Y. (2001). In *All Likelihood*. Oxford Science Publications.

References

Pawitan, Y. (2001). In *All Likelihood*. Oxford Science Publications.

Examples

```
data(bs)
n <- 10
sample_means <- colMeans(bs)
binomial_score_fn <- function(p,xbar)
  n*(xbar-10*p)/(p*(1-p))
p <- seq(from=0,to=1,by=0.02)
plot(p,sapply(p,binomial_score_fn,xbar=sample_means[1]),"l",xlab=expression(p),
ylab=expression(S(p)))
title(main="C: Score Function Plot of Binomial Model")
for(i in 2:20) lines(p,sapply(p,
binomial_score_fn,xbar=sample_means[i]),"l")
abline(v=4)
abline(h=0)
```

 bs1

British Doctors Smoking and Coronary Heart Disease

Description

The problem is to investigate the impact of smoking tobacco among British doctors, refer Example 9.2.1 of Dobson. In the year 1951, a survey was sent across among all the British doctors asking them whether they smoked tobacco and their age group Age_Group. The data also collects the person-years Person_Years of the doctors in the respective age group. A follow-up after ten years reveals the number of deaths Deaths, the smoking group indicator Smoker_Cat.

Usage

```
data(bs1)
```

Format

A data frame with 10 observations on the following 9 variables.

Age_Group a factor variable of age group with levels 35-44 45-54 55-64 65-74 75-84

Age_Cat slightly re-coded to extract variables with Age_Cat taking values 1-5 respectively for the age groups 35-44, 45-54, 55-64, 65-74, and 75-84

Age_Square square of the variable Age_Cat

Smoker_Cat the smoking group indicator NO YES

Smoke_Ind a numeric vector

Smoke_Age takes the Age_Cat values for the smokers group and 0 for the non-smokers

Deaths a follow-up after ten years revealing the number of deaths

Person_Years the number of deaths standardized to 100000

Deaths_Per_Lakh_Years a numeric vector

Source

Dobson (2002)

References

Dobson, A. J. (1990-2002). *An Introduction to Generalized Linear Models*, 2e. Chapman & Hall/CRC.

Examples

```
library(MASS)
data(bs1)
BS_Pois <- glm(Deaths~Age_Cat+Age_Square+Smoke_Ind+Smoke_Age,offset=
log(Person_Years),data=bs1,family='poisson')
logLik(BS_Pois)
summary(BS_Pois)
with(BS_Pois, pchisq(null.deviance - deviance,df.null -
df.residual,lower.tail = FALSE))
confint(BS_Pois)
```

caesareans

The Cesarean Cases

Description

An increasing concern has been the number of cesarean deliveries, especially in the private hospitals. Here, we know the number of births, the type of hospital (private or Government hospital), and the number of cesareans. We would like to model the number of cesareans as a function of the number of births and the type of hospital. A Poisson regression model is fitted for this data set.

Usage

```
data(caesareans)
```

Format

A data frame with 20 observations on the following 3 variables.

Births total number of births

Hospital_Type type of hospital, private or government

Caesareans number of cesareans

Source

http://www.oxfordjournals.org/our_journals/tropej/online/ma_chap13.pdf

Examples

```
data(caesareans)
names(caesareans)
cae_pois <- glm(Caesareans~Hospital_Type+Births,data=caesareans,family='poisson')
summary(cae_pois)
```

 calcium

The Calcium in Soil

Description

Kramer and Jensen (1969) collected data on three variables at 10 different locations. The variables of interest are available calcium in the soil, y_1 , exchangeable soil calcium, y_2 , and turnip green calcium, y_3 . The hypothesis of interest is whether the mean vector is $[15.0 \ 6.0 \ 2.85]$.

Usage

```
data(calcium)
```

Format

A data frame with 10 observations on the following 4 variables.

Location.Number a numeric vector

y_1 a numeric vector

y_2 a numeric vector

y_3 a numeric vector

Source

Kramer, C. Y., and Jensen, D. R. (1969). Fundamentals of Multivariate Analysis, Part I. Inference about Means. *Journal of Quality Technology*, 1 (2), 120-133.

References

Rencher, A.C. (1990-2002). *Methods of Multivariate Analysis*, 2e. J. Wiley.

Examples

```
data(calcium)
n <- nrow(calcium)
meanx <- colMeans(calcium[,-1])
varx <- var(calcium[,-1])
mu0 <- c(15,6,2.85)
t2 <- n*t(meanx-mu0)
t2
```

`cardata`*Car Data*

Description

The data is used to show the effectiveness of Chernoff faces.

Usage

```
data(cardata)
```

Format

A data frame with 74 observations on the following 14 variables.

Model various car models

P Price

M Mileage (in miles per gallon)

R78 Repair record 1978

R77 Repair record 1977

H Headroom (in inches)

R Rear seat clearance

Tr Trunk space

W Weight (in pound)

L Length (in inches)

T Turning diameter

D Displacement (in cubic inches)

G Gear ratio for high gear

C Company headquarter

Examples

```
data(cardata)
pairs(cardata)
```

chdage

Coronary Heart Disease

Description

A well known explanation of the heart disease is that as the age increases, the risk of coronary heart disease also increase. The current data set and the example may be found in Chapter 1 of Hosmer and Lemeshow (1990-2013).

Usage

```
data(chdage)
```

Format

A data frame with 100 observations on the following 3 variables.

ID patient ID

AGE age of the patient

CHD Coronary Heart Disease indicator

Source

Hosmer and Lemeshow (1990-2013).

References

Hosmer, D.W., and Lemeshow, S. (1990-20013). Applied Logistic Regression, 3e. Wiley.

Examples

```
data(chdage)
plot(chdage$AGE, chdage$CHD, xlab="AGE", ylab="CHD Indicator",
     main="Scatter plot for CHD Data")
agegrp <- cut(chdage$AGE, c(19, 29, 34, 39, 44, 49, 54, 59, 69), include.lowest=TRUE,
             labels=c(25, seq(31.5, 56.5, 5), 64.5))
mp <- c(25, seq(31.5, 56.5, 5), 64.5) # mid-points
chd_percent <- prop.table(table(agegrp, chdage$CHD), 1)[, 2]
points(mp, chd_percent, "l", col="red")
```

 chemicaldata

Chemical Reaction Experiment

Description

This data set is used to illustrate the concept of canonical correlations. Here, temperature, concentration, and time have influence on three yield variables, namely outputs, while the percentage of unchanged starting material, the percentage converted to the desired product, and the percentage of unwanted by-product form another set of related variables.

Usage

```
data(chemicaldata)
```

Format

A data frame with 19 observations on the following 6 variables.

```
y1 the percentage of unchanged starting material
y2 the percentage converted to the desired product
y3 the percentage of unwanted by-product
x1 temperature
x2 concentration
x3 time
```

Source

Box, G. E. P., and Youle, P. V. (1955). The Exploration of Response Surfaces: An Example of the Link between the Fitted Surface and the Basic Mechanism of the System. *Biometrics*, 11, 287-323.

References

Rencher, A.C. (2002). *Methods of Multivariate Analysis*, 2e. J. Wiley.

Examples

```
data(chemicaldata)
names(chemicaldata)
chemicaldata$x12 <- chemicaldata$x1*chemicaldata$x2;
chemicaldata$x13 <- chemicaldata$x1*chemicaldata$x3;
chemicaldata$x23 <- chemicaldata$x2*chemicaldata$x3
chemicaldata$x1sq <- chemicaldata$x1^{2}
chemicaldata$x2sq <- chemicaldata$x2^{2}
chemicaldata$x3sq <- chemicaldata$x3^{2}
S_Total <- cov(chemicaldata)
cancor_xy <- sqrt(eigen(solve(S_Total[1:3,1:3])%*%S_Total[1:3,
4:12])%*%solve(S_Total[4:12,4:12])%*%S_Total[4:12,1:3])$values)
cancor_xy
cancor(chemicaldata[,1:3],chemicaldata[,4:12])
```

chest

The Militiamen's Chest Dataset

Description

Militia means an army composed of ordinary citizens and not of professional soldiers. This data set is available in an 1846 book published by the Belgian statistician Adolphe Quetelet, and the data is believed to have been collected some thirty years before that.

Usage

```
data(chest)
```

Format

A data frame with 16 observations on the following 2 variables.

Chest chest width measured in inches

Count the corresponding frequencies

References

Velleman, P.F., and Hoaglin, D.C. (2004). *ABC of Exploratory Data Analysis*. Duxbury Press, Boston.

Examples

```
data(chest)
attach(chest)
names(chest)
militiamen <- rep(Chest,Count)
length(militiamen)
bins <- seq(33,48)
bins
bin.mids <- (bins[-1]+bins[-length(bins)])/2
par(mfrow=c(1,2))
h <- hist(militiamen, breaks = bins, xlab= "Chest Measurements (Inches)",
main= "A: Histogram for the Militiamen")
h$counts <- sqrt(h$counts)
plot(h,xlab= "Chest Measurements (Inches)",ylab= "ROOT FREQUENCY",
main= "B: Rootogram for the Militiamen")
```

cloud	<i>The Cloud Seeding Data</i>
-------	-------------------------------

Description

Chambers, et al. (1983), page 381, contains the cloud seeding data set. Rainfall in acre-feet for 52 clouds are measured, 50% of which have natural rain (control group) whereas the others are seeded. We need to visually compare whether seeding the clouds lead to increase in rainfall in acre-feet.

Usage

```
data(cloud)
```

Format

A data frame with 26 observations on the following 2 variables.

Control Rainfall in acre-feet for 26 clouds are measured which had natural rain, that is, control group

Seeded Rainfall in acre-feet for 26 clouds are measured which had seeded rain

References

Chambers, J.M., Cleveland, W.S., Kleiner, B., and Tukey, P.A. (1983). Graphical Methods for Data Analysis. Wadsworth and Brooks/Cole.

Examples

```
data(cloud)
stem(log(cloud$Seeded), scale=1)
stem(log(cloud$Control), scale=1)
```

cork	<i>The Cork Dataset</i>
------	-------------------------

Description

Thickness of cork borings in four directions of North, South, East, and West are measured for 28 trees. The problem here is to examine if the bark deposit is same in all the directions.

Usage

```
data(cork)
```

Format

A data frame with 28 observations on the following 4 variables.

North thickness of cork boring in the North direction

East thickness of cork boring in the East direction

South thickness of cork boring in the South direction

West thickness of cork boring in the West direction

References

Rao, C. R. (1973). *Linear Statistical Inference and Its Applications*, 2e. J. Wiley.

Examples

```
data(cork)
corkcent <- cork*0
corkcent[,1] <- cork[,1]-mean(cork[,1])
corkcent[,2] <- cork[,2]-mean(cork[,2])
corkcent[,3] <- cork[,3]-mean(cork[,3])
corkcent[,4] <- cork[,4]-mean(cork[,4])
corkcentsvd <- svd(corkcent)
t(corkcentsvd$u)%%corkcentsvd$u
t(corkcentsvd$v)%%corkcentsvd$v
round(corkcentsvd$u %% diag(corkcentsvd$d) %% t(corkcentsvd$v),2)
round(corkcent,2)
corkcentsvd$d
```

 cs

Random Samples from Cauchy Distribution

Description

The data set is used to understand the sampling variation of the score function. The simulated data is available in Pawitan (2001).

Usage

```
data(cs)
```

Format

A data frame with 10 observations on the following 20 variables.

Sample.1 a numeric vector

Sample.2 a numeric vector

Sample.3 a numeric vector

Sample.4 a numeric vector

Sample.5 a numeric vector
Sample.6 a numeric vector
Sample.7 a numeric vector
Sample.8 a numeric vector
Sample.9 a numeric vector
Sample.10 a numeric vector
Sample.11 a numeric vector
Sample.12 a numeric vector
Sample.13 a numeric vector
Sample.14 a numeric vector
Sample.15 a numeric vector
Sample.16 a numeric vector
Sample.17 a numeric vector
Sample.18 a numeric vector
Sample.19 a numeric vector
Sample.20 a numeric vector

References

Pawitan, Y. (2001). In All Likelihood. Oxford Science Publications.

Examples

```
data(cs)
n <- 10
cauchy_score_fn <- function(mu,x)
  sum(2*(x-mu)/(1+(x-mu)^{2}))
mu <- seq(from=-15,to=20,by=0.5)
plot(mu,sapply(mu,cauchy_score_fn,x=cs[,1]),"l",xlab=expression(mu),
ylab=expression(S(mu)),ylim=c(-10,10))
title(main="D: Score Function Plot of Cauchy Model")
for(i in 2:20) lines(mu,sapply(mu,
cauchy_score_fn,x=cs[,i]),"l")
abline(v=4)
abline(h=0)
```

depression

The Hamilton Depression Scale Factor

Description

Hamilton depression scale factor IV is a measurement of mixed anxiety and depression and it is named after its inventor. In a double-blind experiment, this scale factor is obtained for 9 patients on their entry in a study, denoted by X. Post a tranquilizer T, the scale factor IV is again obtained for the same set of patients, which is denoted by Y. Here, an improvement due to tranquilizer T corresponds to a reduction in factor IV values.

Usage

```
data(depression)
```

Format

A data frame with 9 observations on the following 3 variables.

Patient_No Patient ID

X measurement of depression at entry in a study

Y measurement of depression post a tranquilizer

References

Sheshkin, D. J. (1997-2011). Handbook of Parametric and Nonparametric Statistical Procedures, 5e. Chapman and Hall/CRC.

Examples

```
data(depression)
attach(depression)
names(depression)
wilcox.test(Y-X, alternative = "less")
wilcox.test(Y-X, alternative = "less", exact=FALSE, correct=FALSE)
```

Disease

Disease Outbreak Study

Description

The purpose of this health study is investigation of an epidemic outbreak due to mosquitoes. A random sample from two sectors of the city among the individuals has been tested to determine if the individual had contracted the disease forming the binary outcome.

Usage

```
data(Disease)
```

Format

A data frame with 98 observations on the following 5 variables.

x1 age

x2 socioeconomic status of three categories between x2 and x3

x3 socioeconomic status of three categories between x2 and x3

x4 sector of the city

y if the individual had contracted the disease forming the binary outcome

References

Kutner, M. H., Nachtsheim, C. J., Neter, J., and Li, W. (1974-2005). Applied Linear Statistical Models, 5e. McGraw-Hill.

Examples

```
data(Disease)
DO_LR <- glm(y~.,data=Disease,family='binomial')
LR_Residuals <- data.frame(Y = Disease$y,Fitted = fitted(DO_LR),
  Hatvalues = hatvalues(DO_LR),Response = residuals(DO_LR,"response"), Deviance =
  residuals(DO_LR,"deviance"), Pearson = residuals(DO_LR,"pearson"),
  Pearson_Standardized = residuals(DO_LR,"pearson")/sqrt(1-hatvalues(DO_LR)))
LR_Residuals
```

Ehrenfest

Generate transition probability matrix of Ehrenfest model

Description

The Ehrenfest model is an interesting example of a Markov chain. Though the probabilities in decimals are not as interesting as expressed in fractions, the function will help the reader generate the transition probability matrices of $2n$ balls among two urns.

Usage

```
Ehrenfest(n)
```

Arguments

n $2n$ will be the number of balls in the urns.

Details

In this experiment there are i balls in Urn I, and remaining $2n-i$ balls in Urn II. Then at any instance, the probability of selecting a ball from Urn I and placing it in Urn II is $i/2n$, and the other way of placing a ball from Urn II to Urn I is $(2n-i)/2n$. At each instant we let the number i of balls in the Urn I to be the state of the system. Thus, the state space is $S = 0, 1, 2, \dots, 2n$. Then we can pass from state i only to either of the states $i-1$ or $i+1$. Here, $S = 0, 1, \dots, 2n$.

Author(s)

Prabhanjan N. Tattar

Examples

Ehrenfest(2)
Ehrenfest(3)

flight

Injuries in Airflights

Description

Injuries in airflights, road accidents, etc, are instances of rare occurrences which are appropriately modeled by a Poisson distribution. Two models, before and after transformation, are fit and it is checked if the transformation led to a reduction to the variance.

Usage

`data(flight)`

Format

A data frame with 9 observations on the following 2 variables.

`Injury_Incidents` Count of injury incidents

`Total_Flights` Total number of flights

References

Chatterjee, S., and Hadi, A. S. (1977-2006). Regression Analysis by Examples, 4e. J. Wiley.

Examples

```
data(flight)
names(flight)
injurylm <- lm(Injury_Incidents~Total_Flights,data=flight)
injurysqrtlm <- lm(sqrt(Injury_Incidents)~Total_Flights,data=flight)
summary(injurylm)
summary(injurysqrtlm)
```

`Geom_Sim`*Simulation for Geometric Distribution*

Description

A simple function to understand the algorithm to simulate (psuedo-)observations from binomial distribution. It is an implementation of the algorithm given in Section 11.3.1 "Simulation from Discrete Distributions", and as such the function is not an alternative to the "rgeom" function.

Usage

```
Geom_Sim(p, n)
```

Arguments

<code>p</code>	probability of success
<code>n</code>	number of pseudo-observations required

Details

To simulate a random number from geometric RV, we make use of the algorithm described in the book.

Author(s)

Prabhanjan N. Tattar

See Also

`rgeom`

Examples

```
mean(Geom_Sim(0.01,10))
```

`girder`*Strength Data Set of a Girder Experiment*

Description

The shear strength of steel plate girders need to be modeled as a function of the four methods and nine girders.

Usage

```
data(girder)
```

Format

A data frame with 9 observations on the following 5 variables.

Girder The row names, varying from S1.1 to S4.2, represent the nine type of girders, S1.1 S1.2
S2.1 S2.2 S3.1 S3.2 S4.1 S4.2 S5.1

Aarau one of the four methods of preparation of the steel plates

Karisruhe one of the four methods of preparation of the steel plates

Lehigh one of the four methods of preparation of the steel plates

Cardiff one of the four methods of preparation of the steel plates

References

Wu, C.F.J. and M. Hamada (2000-9). Experiments: Planning, Analysis, and Parameter Design Optimization, 2e. J. Wiley.

Examples

```
data(girder)
girder
boxplot(girder[,2:5])
```

hardness

Hardness and a Block Experiment

Description

Four types of tip are used which form the blocks in this experiment. The variable of interest is the hardness which further depends on the type of metal coupon. For each type of the tip, the hardness is observed for 4 different types the metal coupon.

Usage

```
data(hardness)
```

Format

A data frame with 16 observations on the following 3 variables.

Tip_Type Four types of tip which form the blocks

Test_Coupon Four different types of metal coupons

Hardness Hardness of the coupon

References

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(hardness)
hardness$Tip_Type <- as.factor(hardness$Tip_Type)
hardness$Test_Coupon <- as.factor(hardness$Test_Coupon)
hardness_aov <- aov(Hardness~Tip_Type+Test_Coupon,data=hardness)
summary(hardness_aov)
```

hearing

*Hearing Loss Data***Description**

A study was carried in the Eastman Kodak Company which involved the measurement of hearing loss. Such studies are called as audiometric study. This data set contains 100 males, each aged 39, who had no indication of noise exposure or hearing disorders. Here, the individual is exposed to a signal of a given frequency with an increasing intensity till the signal is perceived.

Usage

```
data(hearing)
```

Format

A data frame with 100 observations on the following 9 variables.

S1_No Serial Number
 L500 Observation for 500Hz in the left ear
 L1000 Observation for 1000Hz in the left ear
 L2000 Observation for 2000Hz in the left ear
 L4000 Observation for 4000Hz in the left ear
 R500 Observation for 500Hz in the right ear
 R1000 Observation for 1000Hz in the right ear
 R2000 Observation for 2000Hz in the right ear
 R4000 Observation for 4000Hz in the right ear

References

Jackson, J.E. (1991). A User's Guide to Principal Components. New York: Wiley.

Examples

```
data(hearing)
round(cor(hearing[,-1]),2)
round(cov(hearing[,-1]),2)
hearing.pc <- princomp(hearing[,-1])
screplot(hearing.pc,main="B: Scree Plot for Hearing Loss Data")
```

hw	<i>Height-Weight Covariance Study</i>
----	---------------------------------------

Description

The data set highlights the importance of handling covariance when such information is available. If the covariance is not incorporated, hypothesis testing may lead to entirely different conclusion.

Usage

```
data(hw)
```

Format

A data frame with 20 observations on the following 2 variables.

Height the height of an individual

Weight the weight of an individual

References

Rencher, A.C. (2002). *Methods of Multivariate Analysis*, 2e. J. Wiley.

Examples

```
data(hw)
sigma0 <- matrix(c(20, 100, 100, 1000),nrow=2)
sigma <- var(hw)
v <- nrow(hw)-1
p <- ncol(hw)
u <- v*(log(det(sigma0))-log(det(sigma)) + sum(diag(sigma%%solve(sigma0)))-p)
u1 <- (1- (1/(6*v-1))*(2*p+1 - 2/(p+1)))*u
u;u1;qchisq(1-0.05,p*(p+1)/2)
```

insurance	<i>Insurance Claims Data</i>
-----------	------------------------------

Description

Montgomery (2005), page 42, describes this data set in which the number of days taken by the company to process and settle the claims of employee health insurance customers. The data is recorded for the number of days for settlement from the first to fortieth claim.

Usage

```
data(insurance)
```

Format

A data frame with 40 observations on the following 2 variables.

Claim Claim number

Days Days to settle the claim amount

References

Montgomery, D.C. (1985-2012). Introduction to Statistical Quality Control, 7e. J. Wiley.

Examples

```
data(insurance)
plot(insurance$Claim,insurance$Days,"1",xlab="Claim Sequence",
     ylab="Time to Settle the Claim")
title("B: Run Chart for Insurance Claim Settlement")
```

intensity

Blocking for Intensity Data Set

Description

The intent of this experiment is to help the engineer in improving the ability of detecting targets on a radar system. The two variables chosen which are believed to have the most impact on the detecting abilities of the radar system are marked as the amount of the background noise and the type of filter on the screen.

Usage

```
data(intensity)
```

Format

A data frame with 24 observations on the following 4 variables.

Intensity intensity of targets

Operator different operators who form the blocks 1 2 3 4

Filter two types of filter 1 2

Ground the type of background noise high low medium

References

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(intensity)
intensity.aov <- aov(Intensity~Ground*Filter+Error(Operator),intensity)
summary(intensity.aov)
intensity.aov
```

kurtcoeff	<i>Coefficient of Kurtosis</i>
-----------	--------------------------------

Description

A simple function to obtain the coefficient of kurtosis on numeric variables.

Usage

```
kurtcoeff(x)
```

Arguments

x the numeric vector for which the coefficient of kurtosis is required

Details

A straight-forward implementation of the formula is give here. A complete function "kurtosis" is available in the "e1071" package.

Author(s)

Prabhanjan N. Tattar

See Also

e1071::kurtosis

life	<i>Life Expectancies</i>
------	--------------------------

Description

This data set consists of life expectancy in years by country, age, and sex.

Usage

```
data(life)
```

Format

A data frame with 31 observations on the following 8 variables.

m0 life expectancy for males at age 0
 m25 life expectancy for males at age 25
 m50 life expectancy for males at age 50
 m75 life expectancy for males at age 75
 w0 life expectancy for females at age 0
 w25 life expectancy for females at age 25
 w50 life expectancy for females at age 50
 w75 life expectancy for females at age 75

References

Everitt, B. S., and Hothorn, T. (2011). *An Introduction to Applied Multivariate Analysis with R*. Springer.

Examples

```
data(life)
factanal(life, factors=1)$PVAL
factanal(life, factors=2)$PVAL
factanal(life, factors=3)
```

 lowbwt

The Low-Birth Weight Problem

Description

Low birth weight of new-born infants is a serious concern. If the weight of the new-born is less than 2500 grams, we consider that instance as a low-birth weight case. A study was carried out at Baystate Medical Center in Springfield, Massachusetts.

Usage

```
data(lowbwt)
```

Format

A data frame with 189 observations on the following 10 variables.

LOW Low Birth Weight
 AGE Age of Mother
 LWT Weight of Mother at Last Menstrual Period
 RACE Race 1 2 3

SMOKE Smoking Status During Pregnancy
PTL History of Premature Labor
HT History of Hypertension
UI Presence of Uterine Irritability
FTV Number of Physician Visits During the First Trimester
BWT Birth Weight

References

Hosmer, D.W., and Lemeshow, S. (1989-2000). Applied Logistic Regression, 2e. J. Wiley.

Examples

```
data(lowbwt)
lowglm <- glm(LOW~AGE+LWT+RACE+FTV, data=lowbwt, family='binomial')
lowglm$coefficients
```

LRNormal2Mean

Likelihood Ratio Test for Equality of Means when Variance Unknown

Description

This function sets up the likelihood ratio test for equality of means when the variance term is unknown. Refer Chapter 7 for more details.

Usage

```
LRNormal2Mean(x, y, alpha)
```

Arguments

x	Observations from Population 1
y	Observations from Population 2
alpha	Size alpha test

Details

Likelihood ratio test is setup through this function. For more details, refer Chapter 7 of the book.

Author(s)

Prabhanjan N. Tattar

See Also

t.test

Examples

```
lisa <- c(234.26, 237.18, 238.16, 259.53, 242.76, 237.81, 250.95, 277.83)
mike <- c(187.73, 206.08, 176.71, 213.69, 224.34, 235.24)
LRNormal2Mean(mike,lisa,0.05)
```

`LRNormalMean_KV`*Likelihood ratio test for equality of mean when the variance is known*

Description

Likelihood ratio test for equality of mean when the variance is known for a sample from normal distribution is setup here. For details, refer Chapter 7 of the book.

Usage

```
LRNormalMean_KV(x, mu0, alpha, sigma)
```

Arguments

<code>x</code>	the variable of interest
<code>mu0</code>	the mean of interest
<code>alpha</code>	size of the LR test
<code>sigma</code>	value of the known standard deviation

Author(s)

Prabhanjan N. Tattar

See Also

`t.test`

Examples

```
data(hw)
LRNormalMean_KV(hw$Height,mu0=70, alpha=0.05, sigma=sqrt(20))
```

LRNormalMean_UV	<i>Likelihood ratio test for mean when variance is unknown</i>
-----------------	--

Description

Likelihood ratio test for mean when variance is unknown for a sample from normal distribution is setup here.

Usage

```
LRNormalMean_UV(x, mu0, alpha)
```

Arguments

x	the variable of interest
mu0	the mean value of interest
alpha	size of the LR test

Author(s)

Prabhanjan N. Tattar

See Also

LRNormalMean_KV

LRNormalVariance_UM	<i>Likelihood ratio test for the variance of normal distribution with mean is unknown</i>
---------------------	---

Description

This function returns the LR test for the variance of normal distribution with the mean being unknown. Refer Chapter 7 for more details.

Usage

```
LRNormalVariance_UM(x, sigma0, alpha)
```

Arguments

x	the vector of sample values
sigma0	the standard deviation of interest under the hypothesis
alpha	the required level of significance

Author(s)

Prabhanjan Tattar

Examples

```
LRNormalVariance_UM(rnorm(20),1,0.05)
```

lval

Letter Values

Description

This function is adapted from Prof. Jim Albert's "LearnEDA" package. It returns the letter values as discussed in Chapter 4.

Usage

```
lval(x, na.rm = TRUE)
```

Arguments

x	the variable of interest
na.rm	the default setting removes the missing values

Author(s)

Prabhanjan Tattar

See Also

LearnEDA

memory

Memory Recall Times

Description

A test had been conducted with the purpose of investigating if people recollect pleasant memories associated with a word earlier than some unpleasant memory related with the same word. The word is flashed on the screen and the time an individual takes to respond via keyboard is recorded for both type of the memories.

Usage

```
data(memory)
```

Format

A data frame with 20 observations on the following 2 variables.

Pleasant.memory time to recollect pleasant memory

Unpleasant.memory time to recollect unpleasant memory

References

Dunn, and Master. (1982). Obtained from

<http://openlearn.open.ac.uk/mod/resource/view.php?id=165509>

Examples

```
data(memory)
lapply(memory, fivenum)
lapply(memory, mad)
lapply(memory, IQR)
```

mfp

Psychological Tests for Males and Females

Description

A psychological study consisting of four tests was conducted on males and females group and the results were noted. Since the four tests are correlated and each one is noted for all the individuals, one is interested to know if the mean vector of the test scores is same across the gender group.

Usage

```
data(mfp)
```

Format

A data frame with 32 observations on the following 8 variables.

M_y1 pictorial inconsistencies for males

M_y2 paper form board test for males

M_y3 tool recognition test for males

M_y4 vocabulary test for males

F_y1 pictorial inconsistencies for females

F_y2 paper form board test for females

F_y3 tool recognition test for females

F_y4 vocabulary test for females

Examples

```

data(mfp)
males <- mfp[,1:4]; females <- mfp[,5:8]
nm <- nrow(males);nf <- nrow(females)
p <- 4; k <- 2
vm <- nm-1; vf <- nf-1
meanm <- colMeans(males); meanf <- colMeans(females)
sigmam <- var(males); sigmaf <- var(females)
sigmapl <- (1/(nm+nf-2))*((nm-1)*sigmam+(nf-1)*sigmaf)
ln_M <- .5*(vm*log(det(sigmam))+vf*log(det(sigmaf))) -.5*(vm+vf)*log(det(sigmapl))
exact_test <- -2*ln_M # the Exact Test
exact_test

```

MPbinomial

Most Powerful Binomial Test

Description

The function returns the level alpha MP test for the testing the hypothesis $H:p=p_0$ against $K:p=p_1$ as ensured by the application of Neyman-Pearson lemma.

Usage

```
MPbinomial(Hp, Kp, alpha, n)
```

Arguments

Hp	the value of p under hypothesis H
Kp	the value of p under hypothesis K
alpha	size of the test
n	sample size

Author(s)

Prabhanjan N. Tattar

See Also

binom.test

 MPNormal

Most Powerful Test for Normal Distribution

Description

The most powerful test for a sample from normal distribution is given here. The test is obtained by an application of the Neyman-Pearson lemma.

Usage

```
MPNormal(mu0, mu1, sigma, n, alpha)
```

Arguments

mu0	mean under hypothesis H
mu1	mean under hypothesis K
sigma	standard deviation
n	sample size
alpha	size of the test

Author(s)

Prabhanjan N. Tattar

See Also

t.test

 MPPoisson

Most Powerful Test for Poisson Distribution

Description

The most powerful test for a sample from Poisson distribution is given here. The test is obtained by an application of the Neyman-Pearson lemma.

Usage

```
MPPoisson(Hlambda, Klambda, alpha, n)
```

Arguments

Hlambda	parameter under hypothesis H
Klambda	parameter under hypothesis K
alpha	size of the MP test
n	sample size

Author(s)

Prabhanjan N. Tattar

`msteptpm`*m-step Transition Probability Matrix Computation*

Description

The m-step transition probability matrix computation is provided in this function. The equation is based on the well-known "Chapman-Kolmogorov equation".

Usage

```
msteptpm(TPM, m)
```

Arguments

TPM	a transition probability matrix
m	the m step required

Author(s)

Prabhanjan N. Tattar

Examples

```
EF2 <- Ehrenfest(2)
msteptpm(as.matrix(EF2),4)
```

`Mucociliary`*Mucociliary Clearance*

Description

Table 6.1 of Hollander and Wolfe (1999) lists the data for Half-Time of Mucociliary Clearance. We need to test if the time across various treatments is equal or not.

Usage

```
data(Mucociliary)
```

Format

A data frame with 14 observations on the following 2 variables.

Treatment	treatment levels Asbestosis Normal Subjects Obstructive Airways Disease
Time	half-time of mucociliary clearance

References

Hollander, M., and Wolfe, D. A. (1973-99). Nonparametric Statistical Methods, 2e. J. Wiley.

Examples

```
data(Mucociliary)
Mucociliary$Rank <- rank(Mucociliary$Time)
aggregate(Mucociliary$Rank,by=list(Mucociliary$Treatment),sum)
kruskal.test(Time~Treatment,data=Mucociliary)
```

nerve

The Nerve Data

Description

The Nerve data set has been popularized by Cox and Lewis (1966). In this experiment 799 waiting times are recorded for successive pulses along a nerve fiber.

Usage

```
data(nerve)
```

Format

The format is: num [1:799] 0.21 0.03 0.05 0.11 0.59 0.06 0.18 0.55 0.37 0.09 ...

Source

Cox, D. and Lewis, P. (1966). The Statistical Analysis of Series of Events. Chapman & Hall.

Examples

```
data(nerve)
nerve_ecdf <- ecdf(nerve)
knots(nerve_ecdf) # Returns the jump points of the edf
summary(nerve_ecdf) # the usual R summaries
nerve_ecdf(nerve) # returns the percentiles at the data points
```

ns

Simulated Sample from Normal Distribution

Description

The data set is used to understand the sampling variation of the score function. The simulated data is available in Pawitan (2001).

Usage

```
data(ns)
```

Format

A data frame with 10 observations on the following 20 variables.

Sample.1 a numeric vector
Sample.2 a numeric vector
Sample.3 a numeric vector
Sample.4 a numeric vector
Sample.5 a numeric vector
Sample.6 a numeric vector
Sample.7 a numeric vector
Sample.8 a numeric vector
Sample.9 a numeric vector
Sample.10 a numeric vector
Sample.11 a numeric vector
Sample.12 a numeric vector
Sample.13 a numeric vector
Sample.14 a numeric vector
Sample.15 a numeric vector
Sample.16 a numeric vector
Sample.17 a numeric vector
Sample.18 a numeric vector
Sample.19 a numeric vector
Sample.20 a numeric vector

Source

Pawitan, Y. (2001). In *All Likelihood*. Oxford Science Publications.

References

Pawitan, Y. (2001). In *All Likelihood*. Oxford Science Publications.

Examples

```
library(stats4)
data(ns)
x <- ns[,1]
nlogl <- function(mean,sd) { -sum(dnorm(x,mean=mean,sd=sd,log=TRUE)) }
norm_mle <- mle(nlogl,start=list(mean=median(x),sd=IQR(x)),nobs=length(x))
summary(norm_mle)
```

olson

The Olson Heart Lung Dataset

Description

We need to determine the effect of the number of revolutions per minute (rpm) of the rotary pump head of an Olson heart-lung pump on the fluid flow rate `Liters_minute`. The rpm's are replicated at 50, 75, 100, 125, and 150 levels with respective frequencies 5, 3, 5, 2, and 5. The fluid flow rate is measured in liters per minute.

Usage

```
data(olson)
```

Format

A data frame with 20 observations on the following 4 variables.

Observation observation number

rpm rpm levels at 50, 75, 100, 125, and 150

Level the rpm levels

Liters_minute liters per minute

References

Dean, A., and Voss, D. (1999). *Design and Analysis of Experiments*. Springer.

Examples

```
data(olson)
par(mfrow=c(2,2))
plot(olson$rpm,olson$Liters_minute,xlim=c(25,175),xlab="RPM",
     ylab="Flow Rate",main="Scatter Plot")
boxplot(Liters_minute~rpm,data=olson,main="Box Plots")
aggregate(olson$Liters_minute,by=list(olson$rpm),mean)
olson_crd <- aov(Liters_minute ~ as.factor(rpm), data=olson)
```

pareto_density	<i>Pareto density</i>
----------------	-----------------------

Description

A simple function is given here which returns the density function values for a Pareto RV. A more efficient implementation is obtainable in the function "dpareto" from the "VGAM" package.

Usage

```
pareto_density(x, scale, shape)
```

Arguments

x	the x value
scale	the scale parameter of Pareto RV
shape	the shape parameter of Pareto RV

Author(s)

Prabhanjan N. Tattar

See Also

VGAM::dpareto

Examples

```
m <- 9184
n <- 103
b <- 10000
K <- 10
theta <- seq(1000,20000,500)
plot(theta,as.numeric(sapply(theta,pareto_density,scale=b,shape=K)), "l",
      xlab=expression(theta),ylab="The Posterior Density")
(n+1)*m/n
```

pareto_quantile	<i>Quantile of Pareto RV</i>
-----------------	------------------------------

Description

A simple function is given here which returns the quantiles for a Pareto RV. A more efficient implementation is obtainable in the function "qpareto" from the "VGAM" package.

Usage

```
pareto_quantile(p, scale, shape)
```

Arguments

p	the percentiles required
scale	scale of Pareto RV
shape	shape of Pareto RV

Author(s)

Prabhanjan N. Tattar

See Also

VGAM::qpareto

Examples

```
pareto_quantile(c(0.05, 0.95), scale=10000, shape=10)
```

Poisson_Sim	<i>Simulation for Poisson Distribution</i>
-------------	--

Description

A simple function to understand the algorithm to simulate (psuedo-)observations from binomial distribution. It is an implementation of the algorithm given in Section 11.3.1 "Simulation from Discrete Distributions". This function is not an alternative to the "rpois" function.

Usage

```
Poisson_Sim(lambda, n)
```

Arguments

lambda rate of the Poisson RV
n required number of pseudo-observations

Author(s)

Prabhanjan N. Tattar

See Also

rpois

Examples

```
set.seed(123)  
mean(Poisson_Sim(4,1000))
```

powertestplot *A Function to Plot the Power of a UMP Test for Normal Distribution*

Description

A simple function for obtaining the plot of power of UMP test.

Usage

```
powertestplot(mu0, sigma, n, alpha)
```

Arguments

mu0 the value of mean
sigma standard deviation
n sample size
alpha size of the test

Author(s)

Prabhanjan N. Tattar

See Also

t.test

Examples

```

UMPNormal <- function(mu0, sigma, n,alpha) {
  qnorm(alpha)*sigma/sqrt(n)+mu0
}
UMPNormal(mu0=0, sigma=1,n=1,alpha=0.5)
powertestplot <- function(mu0,sigma,n,alpha) {
  mu0seq <- seq(mu0-3*sigma, mu0+3*sigma,(6*sigma/100))
  betamu <- pnorm(sqrt(n)*(mu0seq-mu0)/sigma-qnorm(1-alpha))
  plot(mu0seq,betamu,"l",xlab=expression(mu),ylab="Power of UMP Test",
    main = expression(paste("H:",mu <= mu[0]," vs K:",mu>mu[0])))
  abline(h=alpha)
  abline(v=mu0)
}
powertestplot(mu0=0,sigma=1,n=10,alpha=0.05)
# H:mu > mu_0 vs K: mu <= mu_0
UMPNormal <- function(mu0, sigma, n,alpha) {
  mu0-qnorm(alpha)*sigma/sqrt(n)
}
UMPNormal(mu0=0, sigma=1,n=1,alpha=0.5)
powertestplot <- function(mu0,sigma,n,alpha) {
  mu0seq <- seq(mu0-3*sigma, mu0+3*sigma,(6*sigma/100))
  betamu <- pnorm(sqrt(n)*(mu0-mu0seq)/sigma-qnorm(1-alpha))
  plot(mu0seq,betamu,"l",xlab=expression(mu),ylab="Power of UMP Test",
    main=expression(paste("H:",mu >= mu[0]," vs K:",mu<mu[0])))
  abline(h=alpha)
  abline(v=mu0)
}
powertestplot(mu0=0,sigma=1,n=10,alpha=0.05)

```

ps

Simulated Sample from Poisson Distribution

Description

The data set is used to understand the sampling variation of the score function. The simulated data is available in Pawitan (2001).

Usage

```
data(ps)
```

Format

A data frame with 10 observations on the following 20 variables.

Sample.1 a numeric vector

Sample.2 a numeric vector

Sample.3 a numeric vector

Sample.4 a numeric vector
 Sample.5 a numeric vector
 Sample.6 a numeric vector
 Sample.7 a numeric vector
 Sample.8 a numeric vector
 Sample.9 a numeric vector
 Sample.10 a numeric vector
 Sample.11 a numeric vector
 Sample.12 a numeric vector
 Sample.13 a numeric vector
 Sample.14 a numeric vector
 Sample.15 a numeric vector
 Sample.16 a numeric vector
 Sample.17 a numeric vector
 Sample.18 a numeric vector
 Sample.19 a numeric vector
 Sample.20 a numeric vector

Source

Pawitan, Y. (2001). In All Likelihood. Oxford Science Publications.

References

Pawitan, Y. (2001). In All Likelihood. Oxford Science Publications.

Examples

```
data(ps)
n <- 10
sample_means <- colMeans(ps)
poisson_score_fn <- function(theta, xbar) n*(xbar-theta)/theta
theta <- seq(from=2, to=8, by=0.2)
plot(theta, sapply(theta, poisson_score_fn, xbar=sample_means[1]), "1", xlab=
  expression(lambda), ylab=expression(S(lambda)), ylim=c(-5, 15))
title(main="B: Score Function Plot of the Poisson Model")
for(i in 2:20)
  lines(theta, sapply(theta, poisson_score_fn, xbar=sample_means[i]), "1")
abline(v=4)
abline(h=0)
```

pw

The Linguistic Probe Word Analysis

Description

Probe words are used to test the recall ability of words in various linguistic contexts. In this experiment the response time to five different probe words are recorded for 11 individuals. The interest in the experiment is to examine if the response times to the different words are independent or not.

Usage

```
data(pw)
```

Format

A data frame with 11 observations on the following 6 variables.

Subject.Number a numeric vector

y1 a numeric vector

y2 a numeric vector

y3 a numeric vector

y4 a numeric vector

y5 a numeric vector

References

Rencher, A.C. (2002). *Methods of Multivariate Analysis*, 2e. J. Wiley.

Examples

```
data(pw)
sigma <- var(pw[2:6])
p <- ncol(pw)-1; v <- nrow(pw)-1
u <- p^p*(det(sigma))/(sum(diag(sigma))^p)
u1 <- -(v-(2*p^2+p+2)/(6*p))*log(u)
u;u1
```

 QH_CI

Quesenberry-Hurst Simultaneous Confidence Interval

Description

Quesenberry and Hurst (1964) have obtained the "simultaneous confidence intervals" for the vector of success in a multinomial distribution.

Usage

QH_CI(x, alpha)

Arguments

x a numeric vector
 alpha as in 100 (1-alpha)

Author(s)

Prabhanjan N. Tattar

See Also

prop.test

 reaction

Chemical Reaction Experiment

Description

For a chemical reaction experiment, the blocks arise due to the Batch number, Catalyst of different types form the treatments, and the reaction time is the output. Due to a restriction, all the catalysts cannot be analysed within each batch and hence we need to look at the BIBD model.

Usage

data("reaction")

Format

A data frame with 16 observations on the following 3 variables.

Catalyst different types forming the treatments

Batch batch number

Reaction reaction time

Examples

```
data(reaction)
```

resistant_line	<i>Resistant Line EDA Regression Technique</i>
----------------	--

Description

"Resistant Line" is an important EDA way of fitting a regression model. The function here develops the discussion in Section 4.5.1 Resistant Line. An alternative for this function is available in "rline" function of the "LearnEDA" package.

Usage

```
resistant_line(x, y, iterations)
```

Arguments

x	the covariate or independent vector
y	the dependent variate
iterations	the required number of iterations

Author(s)

Prabhanjan N. Tattar

References

Velleman, P.F., and Hoaglin, D.C. (2004). ABC of Exploratory Data Analysis. Duxbury Press, Boston. Republished in 2004 by The Internet-First University Press.

See Also

LearnEDA::rline

rocket	<i>Rocket Propellant</i>
--------	--------------------------

Description

Five different formulations of a rocket propellant x1 may be used in an aircrew escape systems on the observed burning rate Y. Here, each of the formulation is prepared by mixing from a batch of raw materials x2 which can support only five formulations required for the purpose of testing.

Usage

```
data(rocket)
```

Format

A data frame with 25 observations on the following 4 variables.

y burning rate

batch raw materials batch

op experience of the operator

treat formulation type of the propellant A B C D E

References

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(rocket)
matrix(rocket$treat, nrow=5)
par(mfrow=c(1,3))
plot(y~factor(op)+factor(batch)+treat, rocket)
rocket_aov <- aov(y~factor(op)+factor(batch)+treat, rocket)
```

rocket_Graeco	<i>Rocket Propellant Example Extended</i>
---------------	---

Description

In continuation of Example 13.4.7 of the Rocket Propellant data, we now have the added blocking factor in test assemblies.

Usage

```
data(rocket_Graeco)
```

Format

A data frame with 25 observations on the following 5 variables.

y burning rate

batch raw materials batch

op experience of the operator

treat formulation type of the propellant A B C D E

assembly test assemblies a b c d e

References

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(rocket_Graeco)
plot(y~op+batch+treat+assembly, rocket_Graeco)
rocket.glsd.aov <- aov(y~factor(op)+factor(batch)+treat+assembly, rocket_Graeco)
summary(rocket.glsd.aov)
```

rootstock

Apple of Different Rootstock

Description

The goal is to test if the mean vector of the four variables is same across 6 stratas of the experiment.

Usage

```
data(rootstock)
```

Format

A data frame with 48 observations on the following 5 variables.

rootstock Six different rootstocks

y1 trunk girth at 4 years

y2 extension growth at 4 years

y3 trunk girth at 15 years

y4 weight of tree above ground at 15 years

References

Rencher, A.C. (2002). Methods of Multivariate Analysis, 2e. J. Wiley.

Examples

```

data(rootstock)
attach(rootstock)
rs <- rootstock[,1]
rs <- factor(rs,ordered=is.ordered(rs)) # Too important a step
root.manova <- manova(cbind(y1,y2,y3,y4)~rs)
summary(root.manova, test = "Wilks")

```

sample

Simulated Dataset

Description

In the data set `sample`, we have data from five different probability distributions. Histograms are used to intuitively understand the underlying probability model.

Usage

```
data(sample)
```

Format

A data frame with 100 observations on the following 5 variables.

Sample_1 A sample 1

Sample_2 A sample 2

Sample_3 A sample 3

Sample_4 A sample 4

Sample_5 A sample 5

Examples

```

data(sample)
layout(matrix(c(1,1,2,2,3,3,0,4,4,5,5,0), 2, 6, byrow=TRUE),respect=FALSE)
matrix(c(1,1,2,2,3,3,0,4,4,5,5,0), 2, 6, byrow=TRUE)
hist(sample[,1],main="Histogram of Sample 1",xlab="sample1", ylab="frequency")
hist(sample[,2],main="Histogram of Sample 2",xlab="sample2", ylab="frequency")
hist(sample[,3],main="Histogram of Sample 3",xlab="sample3", ylab="frequency")
hist(sample[,4],main="Histogram of Sample 4",xlab="sample4", ylab="frequency")
hist(sample[,5],main="Histogram of Sample 5",xlab="sample5", ylab="frequency")

```

 sheishu

The Seishu Wine Study

Description

The odor and taste of wines are recorded in a study. It is believed that the variables such as the pH concentration, alcohol content, total sugar, etc, explain the odor and taste of the wine.

Usage

```
data(sheishu)
```

Format

A data frame with 30 observations on the following 10 variables.

Taste taste

Odor odor

pH pH concentration

Acidity_1 Acidity 1

Acidity_2 Acidity 2

Sake_meter Sake meter

Direct_reducing_sugar Direct reducing sugar

Total_sugar Total sugar

Alcohol type of alcohol

Formyl_nitrogen Formyl nitrogen

References

Rencher, A.C. (2002). *Methods of Multivariate Analysis*, 2e. J. Wiley.

Examples

```
data(sheishu)
noc <- c(2,3,3,2)
nov <- 10
v <- nrow(sheishu)-1
varsheishu <- var(sheishu)
s11 <- varsheishu[1:2,1:2]
s22 <- varsheishu[3:5,3:5]
s33 <- varsheishu[6:8,6:8]
s44 <- varsheishu[9:10,9:10]
u <- det(varsheishu)/(det(s11)*det(s22)*det(s33)*det(s44))
a2 <- nov^2 - sum(noc^2)
a3 <- nov^3 - sum(noc^3)
f <- a2/2
```

```
cc <- 1 - (2*a3 + 3*a2)/(12*f*v)
u1 <- -v*cc*log(u)
u; a2; a3; f; cc; u1
qchisq(1-0.001,37)
```

shelf_stock

The Shelf-Stocking Data

Description

A merchandiser stocks soft-drink on a shelf as a multiple number of the number of cases. The time required to put the cases in the shelves is recorded as a response. Clearly, if there are no cases to be stocked, it is natural that the time to put them on the shelf will be 0.

Usage

```
data("shelf_stock")
```

Format

A data frame with 15 observations on the following 2 variables.

Time time required to put the cases in the shelves

Cases_Stocked number of cases

Examples

```
data(shelf_stock)
sslm <- lm(Time ~ Cases_Stocked -1, data=shelf_stock)
```

siegel.tukey

Siegel-Tukey Nonparametric Test

Description

This function provided an implementation of the nonparametric discussed in "Section 8.5.3 The Siegel-Tukey Test".

Usage

```
siegel.tukey(x, y)
```

Arguments

x	Values from Sample 1
y	Values from Sample 2

Details

For more details, refer Section 8.5.3 The Siegel-Tukey Test.

Author(s)

Prabhanjan N. Tattar

Examples

```
x <- c(0.028, 0.029, 0.011, -0.030, 0.017, -0.012, -0.027,-0.018, 0.022, -0.023)
y <- c(-0.002, 0.016, 0.005, -0.001, 0.000, 0.008, -0.005,-0.009, 0.001, -0.019)
siegel.tukey(x,y)
```

skewcoeff	<i>A simple and straightforward function to compute the coefficient of skewness</i>
-----------	---

Description

The function is fairly easy to follow.

Usage

```
skewcoeff(x)
```

Arguments

x variable of interest

Author(s)

Prabhanjan N. Tattar

See Also

e1071::skewness

Description

A cooked data tailor made for the use of scatter plots towards understanding correlations.

Usage

```
data(somesamples)
```

Format

A data frame with 200 observations on the following 12 variables.

x1 x of Sample 1

y1 y of Sample 1

x2 x of Sample 2

y2 y of Sample 2

x3 x of Sample 3

y3 y of Sample 3

x4 x of Sample 4

y4 y of Sample 4

x5 x of Sample 5

y5 y of Sample 5

x6 x of Sample 6

y6 y of Sample 6

Examples

```
data(somesamples)
attach(somesamples)
par(mfrow=c(2,3))
plot(x1,y1,main="Sample I",xlim=c(-4,4),ylim=c(-4,4))
plot(x2,y2,main="Sample II",xlim=c(-4,4),ylim=c(-4,4))
plot(x3,y3,main="Sample III",xlim=c(-4,4),ylim=c(-4,4))
plot(x4,y4,main="Sample IV",xlim=c(-4,4),ylim=c(-4,4))
plot(x5,y5,main="Sample V",xlim=c(-4,4),ylim=c(-4,4))
plot(x6,y6,main="Sample VI",xlim=c(-4,4),ylim=c(-4,4))
```

SP

*Understanding Strength of Paper with a Three Factorial Experiment***Description**

The strength of a paper depends on three variables: (i) the percentage of hardwood concentration in the raw pulp, (ii) the vat pressure, and (iii) the cooking time of the pulp. The hardwood concentration is tested at three levels of 2, 4, and 8 percentage, the vat pressure at 400, 500, and 650, while the cooking time is at 3 and 4 hours. For each combination of these three factor variables, 2 observations are available, and thus a total of $3 \times 3 \times 2 \times 2 = 36$ observations. The goal of the study is investigation of the impact of the three factor variables on the strength of the paper, and the presence of interaction effect, if any.

Usage

```
data(SP)
```

Format

A data frame with 36 observations on the following 4 variables.

Hardwood a factor with levels 2 4 8

Pressure a factor with levels 400 500 650

Cooking_Time a factor with levels 3 4

Strength a numeric vector

References

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(SP)
summary(SP.aov <- aov(Strength~.^3,SP))
```

stationdistTPM

A function which will return the stationary distribution of an ergodic Markov chain

Description

This function returns the stationary distribution of an ergodic Markov chain. For details, refer Chapter 11 of the book.

Usage

```
stationdistTPM(M)
```

Arguments

M a transition probability matrix (TPM)

Author(s)

Prabhanjan N. Tattar

See Also

eigen

Examples

```
P <- matrix(nrow=3,ncol=3) # An example
P[1,] <- c(1/3,1/3,1/3)
P[2,] <- c(1/4,1/2,1/4)
P[3,] <- c(1/6,1/3,1/2)
stationdistTPM(P)
```

stiff

The Board Stiffness Dataset

Description

Four measures of stiffness of 30 boards are available. The first measure of stiffness is obtained by sending a shock wave down the board, the second measure is obtained by vibrating the board, and remaining are obtained from static tests.

Usage

```
data(stiff)
```

Format

A data frame with 30 observations on the following 4 variables.

x1 first measure of stiffness is obtained by sending a shock wave down the board

x2 second measure is obtained by vibrating the board

x3 third measure is obtained by a static test

x4 fourth measure is obtained by a static test

References

Johnson, R.A., and Wichern, D.W. (1982-2007). Applied Multivariate Statistical Analysis, 6e. Pearson Education.

Examples

```
data(stiff)
colMeans(stiff)
var(stiff)
pairs(stiff)
```

ST_Ordered

Simulating Random Observations from an Arbitrary Distribution

Description

An implementation of the algorithm for simulation of observations from an arbitrary discrete distribution is provided here.

Usage

```
ST_Ordered(N, x, p_x)
```

Arguments

N	number of required random observations
x	the possible values of the RV
p_x	the probability vector associated with x

Author(s)

Prabhanjan N. Tattar

See Also

sample

Examples

```
N <- 1e4
x <- 1:10
p_x <- c(0.05, 0.17, 0.02, 0.14, 0.11, 0.06, 0.05, 0.04, 0.17, 0.19)
table(ST_Ordered(N, x, p_x))
```

ST_Unordered	<i>Simulating Random Observations from an Arbitrary Distribution (ordered probabilities)</i>
--------------	--

Description

Simulation observations from an arbitrary discrete distribution with probabilities arranged in descending/ascending order.

Usage

```
ST_Unordered(N, x, p_x)
```

Arguments

N	number of required random observations
x	the possible values of the RV
p_x	the probability vector associated with x

Author(s)

Prabhanjan N. Tattar

See Also

sample

Examples

```
N <- 1e2
x <- 1:10
p_x <- c(0.05,0.17,0.02,0.14,0.11,0.06,0.05,0.04,0.17,0.19)
ST_Unordered(N,x,p_x)
```

swiss	<i>Forged Swiss Bank Notes</i>
-------	--------------------------------

Description

The swiss data set consists of measurements on the width of bottom margin and image diagonal length for forged and real notes. Histogram smoothing method is applied to understand the width of bottom margins for the forged notes.

Usage

```
data(swiss)
```

Format

A data frame with 100 observations on the following 4 variables.

Bottforg bottom margin of forged notes
 Diagforg diagonal margin of forged notes
 Bottreal bottom margin of real notes
 Diagreall diagonal margin of real notes

References

Simonoff, J.S. (1996). Smoothing Methods in Statistics. Springer.

Examples

```
data(swiss)
par(mfrow=c(1,3))
hist(swiss$Bottforg,breaks=28,probability=TRUE,col=0,ylim=c(0,.5),
      xlab="Margin width (mm)",ylab="Density")
hist(swiss$Bottforg,breaks=12,probability=TRUE,col=0,ylim=c(0,.5),
      xlab="Margin width (mm)",ylab="Density")
hist(swiss$Bottforg,breaks=6,probability=TRUE,col=0,ylim=c(0,.5),
      xlab="Margin width (mm)",ylab="Density")
```

 tc

The Toluca Company Labour Hours against Lot Size

Description

The Toluca Company manufactures equipment related to refrigerator. The company, in respect of a particular component of a refrigerator, has data on the labor hours required for the component in various lot sizes. Using this data, the officials wanted to find the optimum lot size for producing this part.

Usage

```
data("tc")
```

Format

A data frame with 25 observations on the following 2 variables.

Lot_Size size of the lot
 Labour_Hours the labor hours required

References

Kutner, M. H., Nachtsheim, C. J., Neter, J., and Li, W. (1974-2005). Applied Linear Statistical Models, 5e. McGraw-Hill.

Examples

```
data(tc)
tclm <- lm(Labour_Hours~Lot_Size,data=tc)
tclm$coefficients
```

tensile

The Tensile Strength Experiment

Description

An engineer wants to find out if the cotton weight percentage in a synthetic fiber effects the tensile strength. Towards this, the cotton weight percentage is fixed at 5 different levels of 15, 20, 25, 30, and 35. Each level of the percentage is assigned 5 experimental units and the tensile strength is measured on each of them. The randomization is specified in the Run_Number column. The goal of the engineer is to investigate if the tensile strength is same across the cotton weight percentage.

Usage

```
data(tensile)
```

Format

A data frame with 25 observations on the following 4 variables.

Test_Sequence the test sequence

Run_Number the run number

CWP cotton weight percentage

Tensile_Strength the tensile strength

References

Montgomery, D. C. (1976-2012). Design and Analysis of Experiments, 8e. J.Wiley.

Examples

```
data(tensile)
tensile$CWP <- as.factor(tensile$CWP)
tensile_aov <- aov(Tensile_Strength~CWP, data=tensile)
summary(tensile_aov)
model.matrix(tensile_aov)
```

testtpm	<i>A transition probability matrix</i>
---------	--

Description

A transition probability matrix for understanding Markov chains.

Usage

```
data(testtpm)
```

Format

A matrix of transition probability matrix

A transitions probabilities from State A

B transitions probabilities from State B

C transitions probabilities from State C

D transitions probabilities from State D

E transitions probabilities from State E

F transitions probabilities from State F

Examples

```
data(testtpm)
```

testtpm2	<i>A matrix of transition probability matrix, second example</i>
----------	--

Description

A transition probability matrix for understanding Markov chains.

Usage

```
data(testtpm2)
```

Format

A matrix of transition probability matrix.

A transitions probabilities from State A

B transitions probabilities from State B

C transitions probabilities from State C

D transitions probabilities from State D

E transitions probabilities from State E

F transitions probabilities from State F

Examples

```
data(testtpm2)
```

```
testtpm3
```

A matrix of transition probability matrix, third example

Description

A transition probability matrix for understanding Markov chains

Usage

```
data(testtpm3)
```

Format

A data frame with 7 observations on the following 7 variables.

- A transitions probabilities from State A
- B transitions probabilities from State B
- C transitions probabilities from State C
- D transitions probabilities from State D
- E transitions probabilities from State E
- F transitions probabilities from State F
- G transitions probabilities from State G

Examples

```
data(testtpm3)
```

```
TM
```

Trimmed Mean

Description

The trimean can be viewed as the average of median and average of the lower and upper quartiles. A fairly simply function is defined here.

Usage

```
TM(x)
```

Arguments

```
x
```

variable of interest

Author(s)

Prabhanjan N. Tattar

See Also

TMH, mean, median

 TMH

Trimean based on hinges instead of quartiles

Description

The trimean is modified and defined based on hinges instead of the quartiles.

Usage

TMH(x)

Arguments

x variable of interest

Author(s)

Prabhanjan N. Tattar

See Also

TM

 UMPExponential

Uniformly Most Powerful Test for Exponential Distribution

Description

A function is defined here which will return the uniformly most powerful test for exponential distribution. The function needs a simple use of the "qgamma" function.

Usage

UMPExponential(theta0, n, alpha)

Arguments

theta0 the parameter of interest
 n the sample size
 alpha level of the UMP test

Author(s)

Prabhanjan N. Tattar

UMPNormal

*Uniformly Most Powerful Test for Normal Distribution***Description**

The "UMPNormal" function returns the critical points required for the UMP test for a sample from normal distribution. The standard deviation is assumed to be known.

Usage

```
UMPNormal(mu0, sigma, n, alpha)
```

Arguments

mu0	the value of mean of interest
sigma	standard deviation
n	sample size
alpha	size of the UMP test

Author(s)

Prabhanjan N. Tattar

UMPUniform

*Uniformly Most Powerful Test for Uniform Sample***Description**

A simple and straightforward function for obtaining the UMP test for a random sample from uniform distribution.

Usage

```
UMPUniform(theta0, n, alpha)
```

Arguments

theta0	the parameter value of interest
n	the sample size
alpha	the size of the required UMP test

Author(s)

Prabhanjan N. Tattar

Examples

```
UMPUiform(0.6,10,0.05)
```

usc

US Crime Data

Description

Data is available on the crime rates across 47 states in USA, and we have additional information on 13 more explanatory variables.

Usage

```
data(usc)
```

Format

A data frame with 47 observations on the following 14 variables.

R Crime rate - the number of offenses known to the police per 1,000,000 population

Age Age distribution - the number of males aged 14 to 24 years per 1000 of total state population

S Binary variable distinguishing southern states (S = 1) from the rest

Ed Educational level - mean number of years of schooling times 10 of the population 25 years old and over

Ex0 Police expenditure - per capita expenditure on police protection by state and local governments in 1960

Ex1 Police expenditure - as Ex0, but for 1959

LF Labour force participation rate per 1000 civilian urban males in the age group 14 to 24 years

M Number of males per 1000 females

N State population size in hundred thousands

NW Number of non-whites per 1000

U1 Unemployment rate of urban males per 1000 in the age group 14 to 24 years

U2 Unemployment rate of urban males per 1000 in the age group 35 to 39 years

W Wealth, as measured by the median value of transferable goods and assets. or family income (unit 10 dollars)

X Income inequality: the number of families per 1000 earning below one half of the median income

References

Der, G., and Everitt, B.S. (2002). A Handbook of Statistical Analysis using SAS, 2e. CRC.

Examples

```
data(usc)
pairs(usc)
round(cor(usc),2)
```

viscos

The Box-Cox Transformation for Viscosity Dataset

Description

The goal of this study is to find the impact of temperature on the viscosity of toluence-tetralin blends.

Usage

```
data(viscos)
```

Format

A data frame with 8 observations on the following 2 variables.

Temperature temperature

Viscosity viscosity of toluence-tetralin blends

References

Montgomery, D.C., Peck, E.A., and Vining, G.G. (1983-2012). Introduction to Linear Regression Analysis, 5e. J. Wiley.

Examples

```
data(viscos)
names(viscos)
viscoslm <- lm(Viscosity~Temperature,data=viscos)
```

vonNeumann

von Neumann Random Number Generator

Description

The "vonNeumann" function implements the von Neumann random generator as detailed in Section 11.2.

Usage

```
vonNeumann(x, n)
```

Arguments

x	the initial seed
n	number of required observations

Author(s)

Prabhanjan N. Tattar

Examples

```
vonNeumann(x=11, n=10)  
vonNeumann(x=675248, n=10)  
vonNeumann(x=8653, n=100)
```

waterquality*Testing for Physico-chemical Properties of Water in 4 Cities*

Description

Water samples from four cities are collected and their physico-chemical properties for ten variables, such as pH, Conductivity, Dissolution, etc., are measured. We would then like to test if the properties are same across the four cities and in which case a same water treatment approach can be adopted across the cities.

Usage

```
data(waterquality)
```

Format

A data frame with 63 observations on the following 10 variables.

City four cities City1 City2 City3 City4

pH the pH concentration

Conductivity water conductivity

Dissolution water dissolution

Alkalinity alkalinity of the water sample

Hardness water hardness

Calcium.Hardness calcium hardness of the water

Magnesium.Hardness magnesium hardness of the water

Chlorides chloride content

Sulphates sulphate content

References

Gore, A.P., Paranjape, S. A., and Kulkarni, M.B. (2006). 100 Data Sets for Statistics Education. Department of Statistics, University of Pune.

Examples

```
data(waterquality)
```

WilsonCI

Wilson Confidence Interval

Description

The Wilson confidence interval for a sample from binomial distribution is a complex formula. This function helps the reader in easily obtaining the required confidence interval as discussed and detailed in Section 16.5.

Usage

```
WilsonCI(x, n, alpha)
```

Arguments

x	the number of successes
n	the number of trials
alpha	the confidence interval size

Author(s)

Prabhanjan N. Tattar

Examples

```
WilsonCI(x=10658,n=15000,alpha=0.05)  
prop.test(x=10658,n=15000)$conf.int
```

ww.test	<i>Wald-Wolfowitz Nonparametric Test</i>
---------	--

Description

The "ww.test" function is an implementation of the famous Wald-Wolfowitz nonparametric test as discussed in Section 8.5.

Usage

```
ww.test(x, y)
```

Arguments

x	values from sample 1
y	values from sample 2

Author(s)

Prabhanjan N. Tattar

x_bimodal	<i>Understanding kernel smoothing through a simulated dataset</i>
-----------	---

Description

This is a simulated dataset with two modes at -2 and 2 and we have 400 observations.

Usage

```
data(x_bimodal)
```

Format

The format is: num [1:400] -4.68 -4.19 -4.05 -4.04 -4.02 ...

Examples

```

data(x_bimodal)
h <- 0.5; n <- length(x_bimodal)
dens_unif <- NULL; dens_triangle <- NULL; dens_epanechnikov <- NULL
dens_biweight <- NULL; dens_triweight <- NULL; dens_gaussian <- NULL
for(i in 1:n) {
  u <- (x_bimodal[i]-x_bimodal)/h
  xlogical <- (u>-1 & u <= 1)
  dens_unif[i] <- (1/(n*h))*(sum(xlogical)/2)
  dens_triangle[i] <- (1/(n*h))*(sum(xlogical*(1-abs(u))))
  dens_epanechnikov[i] <- (1/(n*h))*(sum(3*xlogical*(1-u^2)/4))
  dens_biweight[i] <- (1/(n*h))*(15*sum(xlogical*(1-u^2)^2/16))
  dens_triweight[i] <- (1/(n*h))*(35*sum(xlogical*(1-u^2)^3/32))
  dens_gaussian[i] <- (1/(n*h))*(sum(exp(-u^2/2)/sqrt(2*pi)))
}
plot(x_bimodal,dens_unif,"l",ylim=c(0,.25),xlim=c(-5,7),xlab="x",
     ylab="Density",main="B: Applying Kernel Smoothing")
points(x_bimodal,dens_triangle,"l",col="red")
points(x_bimodal,dens_epanechnikov,"l",col="green")
points(x_bimodal,dens_biweight,"l",col="blue")
points(x_bimodal,dens_triweight,"l",col="yellow")
points(x_bimodal,dens_gaussian,"l",col="orange")
legend(4,.23,legend=c("rectangular","triangular","epanechnikov","biweight",
                     "gaussian"),col=c("black","red","green","blue","orange"),lty=1)

```

yb

*Youden and Beale's Data on Lesions of Half-Leaves of Tobacco Plant***Description**

A simple and innovative design is often priceless. Youden and Beale (1934) sought to find the effect of two preparations of virus on tobacco plants. One half of a tobacco leaf was rubbed with cheesecloth soaked in one preparation of the virus extract and the second half was rubbed with the other virus extract. This experiment was replicated on just eight leaves, and the number of lesions on each half leaf was recorded.

Usage

```
data(yb)
```

Format

A data frame with 8 observations on the following 2 variables.

Preparation_1 a numeric vector

Preparation_2 a numeric vector

References

Youden, W. J., and Beale, H. P. (1934). A Statistical Study of the Local Lesion Method for Estimating Tobacco Mosaic Virus. *Contrib. Boyce Thompson Inst*, 6, 437-454.

Examples

```
data(yb)
summary(yb)
quantile(yb$Preparation_1,seq(0,1,.1)) # here seq gives 0, .1, .2, ...,1
quantile(yb$Preparation_2,seq(0,1,.1))
fivenum(yb$Preparation_1)
fivenum(yb$Preparation_2)
```

Index

- * **ANOVA**
 - SP, [56](#)
- * **Arbitrary discrete distribution**
 - ST_Ordered, [58](#)
 - ST_Unordered, [59](#)
- * **Balanced incomplete block design**
 - reaction, [47](#)
- * **Binomial Distribution**
 - Binom_Sim, [7](#)
- * **Box-Cox transformation**
 - viscos, [67](#)
- * **Cauchy random samples, score function**
 - cs, [18](#)
- * **EDA summary**
 - TM, [63](#)
 - TMH, [64](#)
- * **EDA**
 - resistant_line, [48](#)
- * **Ehrenfest**
 - Ehrenfest, [21](#)
- * **Ergodic Markov chain**
 - stationdistTPM, [56](#)
- * **Exponential Distribution**
 - UMPExponential, [64](#)
- * **Geometric distribution**
 - Geom_Sim, [23](#)
- * **Graeco Latin square design**
 - rocket_Graeco, [49](#)
- * **Kruskal-Walis test**
 - Mucociliary, [37](#)
- * **Letter values**
 - lval, [33](#)
- * **Likelihood Ratio Test**
 - LRNormalMean_KV, [31](#)
 - LRNormalMean_UV, [32](#)
- * **Likelihood Ratio test**
 - LRNormal2Mean, [30](#)
- * **Likelihood ratio test**
 - LRNormalVariance_UM, [32](#)
- * **Manova**
 - waterquality, [68](#)
- * **Markov chain**
 - Ehrenfest, [21](#)
 - testtpm, [62](#)
 - testtpm2, [62](#)
 - testtpm3, [63](#)
- * **Most Powerful Test**
 - MPNormal, [36](#)
 - MPPoisson, [36](#)
- * **Most powerful test**
 - MPbinomial, [35](#)
- * **Nonparametric Test**
 - siegel.tukey, [53](#)
- * **Normal Distribution**
 - LRNormal2Mean, [30](#)
 - LRNormalMean_KV, [31](#)
 - LRNormalMean_UV, [32](#)
 - MPNormal, [36](#)
- * **Normal distribution**
 - UMPNormal, [65](#)
- * **Pareto Density**
 - pareto_density, [41](#)
- * **Poisson Distribution**
 - MPPoisson, [36](#)
 - Poisson_Sim, [42](#)
- * **Poisson regression model**
 - caesareans, [11](#)
- * **Poisson regression**
 - bs1, [10](#)
- * **Quantile of Pareto RV**
 - pareto_quantile, [42](#)
- * **Quesenberry-Hurst Simultaneous Confidence Interval**
 - QH_CI, [47](#)
- * **Resistant Line**
 - resistant_line, [48](#)
- * **Siegel-Tukey**
 - siegel.tukey, [53](#)

- * **Simulation unordered probabilities**
 - ST_Ordered, 58
 - ST_Unordered, 59
- * **Simulation**
 - Binom_Sim, 7
 - Geom_Sim, 23
 - Poisson_Sim, 42
- * **Statistics**
 - ACSWR-package, 3
- * **Testing for sphericity**
 - pw, 46
- * **Transition Probability Matrix**
 - msteptpm, 37
- * **Trimean based on hinges**
 - TMH, 64
- * **Trimean**
 - TM, 63
- * **Uniform Distribution**
 - UMPUniform, 65
- * **Uniformly Most Powerful Test**
 - UMPExponential, 64
 - UMPNormal, 65
 - UMPUniform, 65
- * **Wald-Wolfowitz**
 - ww.test, 70
- * **Wilcoxon test, Hamilton depression scale**
 - depression, 20
- * **Wilson confidence interval**
 - WilsonCI, 69
- * **binomial distribution**
 - MPbinomial, 35
 - WilsonCI, 69
- * **block experiment**
 - hardness, 24
- * **blocked design**
 - intensity, 27
- * **canonical correlation**
 - chemicaldata, 15
- * **categorical data analysis**
 - atombomb, 6
- * **completely randomized design**
 - olson, 40
 - tensile, 61
- * **datasets**
 - abrasion_index, 4
- * **descriptive statistics**
 - kurtcoeff, 28
- * **empirical distribution function**
 - nerve, 38
- * **exploratory data analysis**
 - lval, 33
 - yb, 71
- * **factor analysis**
 - adjectives, 5
 - life, 28
- * **factorial experiment**
 - battery, 6
- * **fiveum, IQR**
 - memory, 33
- * **histogram smoothing**
 - swiss, 59
- * **histogram**
 - sample, 51
- * **hypothesis testing for equality of covariance matrices**
 - mfp, 34
- * **kernel smoothing**
 - x_bimodal, 70
- * **kurtosis**
 - kurtcoeff, 28
- * **latin square design**
 - rocket, 49
- * **linear regression model**
 - shelf_stock, 53
 - tc, 60
- * **logistic regression, model selection**
 - lowbwt, 29
- * **logistic regression**
 - chdage, 14
- * **m-step**
 - msteptpm, 37
- * **manova**
 - rootstock, 50
- * **maximum likelihood estimation**
 - ns, 39
- * **maximum likelihood estimator**
 - ps, 44
- * **median polish**
 - girder, 23
- * **multiple linear regression model**
 - usc, 66
- * **multivariate dataset, singular value decomposition, cork dataset**
 - cork, 17
- * **multivariate hypothesis testing**
 - calcium, 12

- * **multivariate summaries**
 - stiff, 57
 - * **nonparametric test**
 - ww.test, 70
 - * **normal distribution**
 - LRNormalVariance_UM, 32
 - * **power plot**
 - powertestplot, 43
 - * **principal component analysis**
 - hearing, 25
 - * **random generator**
 - vonNeumann, 68
 - * **residual analysis, logistic regression**
 - Disease, 20
 - * **rootogram, militiamen**
 - chest, 16
 - * **scatterplot**
 - somesamples, 55
 - * **score function, binomial distribution**
 - bs, 9
 - * **skewness coefficient**
 - skewcoeff, 54
 - * **stationary distribution**
 - stationdistTPM, 56
 - * **stem-and-leaf plot, cloud seeding experiment**
 - cloud, 17
 - * **summary statistics**
 - kurtcoeff, 28
 - * **testing independence of subvectors**
 - sheishu, 52
 - * **testing mean vector**
 - hw, 26
 - * **three factorial experiment**
 - bottling, 8
 - * **time series plot**
 - insurance, 26
 - * **transformation, variance reduction**
 - flight, 22
 - * **visualizing multivariate data**
 - cardata, 13
 - * **von Neumann**
 - vonNeumann, 68
- abrasion_index, 4
 ACSWR (ACSWR-package), 3
 ACSWR-package, 3
 adjectives, 5
 atombomb, 6
 battery, 6
 Binom_Sim, 7
 bottling, 8
 bs, 9
 bs1, 10
 caesareans, 11
 calcium, 12
 cardata, 13
 chdage, 14
 chemicaldata, 15
 chest, 16
 cloud, 17
 cork, 17
 cs, 18
 depression, 20
 Disease, 20
 Ehrenfest, 21
 flight, 22
 Geom_Sim, 23
 girder, 23
 hardness, 24
 hearing, 25
 hw, 26
 insurance, 26
 intensity, 27
 kurtcoeff, 28
 life, 28
 lowbwt, 29
 LRNormal2Mean, 30
 LRNormalMean_KV, 31
 LRNormalMean_UV, 32
 LRNormalVariance_UM, 32
 lval, 33
 memory, 33
 mfp, 34
 MPbinomial, 35
 MPNormal, 36
 MPPoisson, 36
 msteptpm, 37
 Mucociliary, 37

nerve, 38
ns, 39

olson, 40

pareto_density, 41
pareto_quantile, 42
Poisson_Sim, 42
powertestplot, 43
ps, 44
pw, 46

QH_CI, 47

reaction, 47
resistant_line, 48
rocket, 49
rocket_Graeco, 49
rootstock, 50

sample, 51
sheishu, 52
shelf_stock, 53
siegel.tukey, 53
skewcoeff, 54
somesamples, 55
SP, 56
ST_Ordered, 58
ST_Unordered, 59
stationdistTPM, 56
stiff, 57
swiss, 59

tc, 60
tensile, 61
testtpm, 62
testtpm2, 62
testtpm3, 63
TM, 63
TMH, 64

UMPExponential, 64
UMPNormal, 65
UMPUniform, 65
usc, 66

viscos, 67
vonNeumann, 68

waterquality, 68

WilsonCI, 69
ww.test, 70

x_bimodal, 70

yb, 71